

L Number	Hits	Search Text	DB	Time stamp
1	32	(ieee same detect\$4 same connect\$5 same "1394" same (number or count\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 11:50
2	5	(ieee same detect\$4 same connect\$5 same "1394" same (number or count\$4)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 11:50
3	2	(ieee same detect\$4 same connect\$5 same "1394" same (number or count\$4)).ab. and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 11:51
4	0	(ieee same detect\$4 same path same "1394" same (number or count\$4)).ab. and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 11:52
5	2	(ieee same (detect\$4 with node) same "1394" same (number or count\$4)).ab. and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 11:52
6	10	(ieee same (detect\$4 with node) same "1394" same (number or count\$4)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 12:11
16	3	(bridge same node same network same ((stor\$5 or memory) with (number or count\$4) with node)) and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 13:07
17	10	(bridge same node same network same (stor\$4 or memory or buffer\$4 or sav\$3) same ((number or id or identif\$5 or amount or quanti\$5 or count\$5) with (node or connection)) and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 13:08
18	5	(bridge same node same network same (stor\$4 or memory or buffer\$4 or sav\$3) same ((number or id or identif\$5 or amount or quanti\$5 or count\$5) with (node or connection)) and @ad<19991228 and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 13:08
19	13	(bridge or switch) and (((node or connection) with (count\$5 or number)) same (stor\$4 or memory or buffer or sav\$3)) and @ad<19991228 and ((ieee adj "1394") or firewire) and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 13:08
20	0	(bridge same (ieee adj "1394") same bus same portal) and @ad<19991228 and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 13:08
21	1	(ieee same "1394" same reset same (connection or path) same (re-establish\$5 or maintain\$5 or reestablish\$5 or keep\$5 or re-secur\$5 or resecur\$5)) and @ad<19991228 and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 13:08

22	0	(bridge same (ieee adj "1394") same bus same portal) and @ad<19991228 and (packet\$5 with switch\$4) and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:08
23	0	((connection or device) adj counter) and (stor\$4 or memory of buffer\$3 or sav\$3)).ab. and @ad<19991228 and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:09
24	117	bridge and (((node or connection) with (count\$5 or number)) same (stor\$4 or memory or buffer or sav\$5)) and @ad<19991228 and (709/220.ccls. or 709/223.ccls. or 709/224.ccls. or 709/229.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:09
-	29	(bridge same node same network same ((stor\$5 or memory) with (number or count\$4) with node))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:06
-	2	(bridge same node same network same ((stor\$5 or memory) with (number or count\$4) with node)) and "1394"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 16:39
-	1	(bridge same node same network same ((stor\$5 or memory) with (number or count\$4) with node)) and "1394" and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 16:39
-	113	(bridge same node same network same (stor\$4 or memory or buffer\$4 or sav\$3) same ((number or id or identif\$5 or amount or quanti\$5 or count\$5) with (node or connection)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:07
-	65	(bridge same node same network same (stor\$4 or memory or buffer\$4 or sav\$3) same ((number or id or identif\$5 or amount or quanti\$5 or count\$5) with (node or connection))) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:07
-	10	(bridge same node same network same (stor\$4 or memory or buffer\$4 or sav\$3) same ((count\$5) with (node or connection))) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:08
-	1	((bridge or switch) same node same network same (stor\$4 or memory or buffer\$4 or sav\$3) same ((count\$5) with (connection))) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:11
-	2212	bridge and (((node or connection) with (count\$5 or number)) same (stor\$4 or memory or buffer or sav\$5)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:08
-	2180	bridge and (((node or connection) with (count\$5 or number)) same (stor\$4 or memory or buffer or sav\$3)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:25
-	108	(bridge or switch) and (((node or connection) with (count\$5 or number)) same (stor\$4 or memory or buffer or sav\$3)) and @ad<19991228 and ((ieee adj "1394") or firewire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:07

-	12	(bridge or switch) and (((node or connection) with (count\$5 or number)) same (stor\$4 or memory or buffer or sav\$3) same (bridge or switch)) and @ad<19991228 and ((ieee adj "1394") or firewire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:28
-	12	((node or connection) with (count\$5 or number)) same (stor\$4 or memory or buffer or sav\$3) same (bridge or switch)) and @ad<19991228 and ((ieee adj "1394") or firewire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:42
-	8	bridge and buses and node and storage and (connection near (counter or number)) and ((ieee adj "1394") or firewire) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 13:40
-	223	((connection or device) adj counter) and (stor\$4 or memory of buffer\$3 or sav\$3).ab. and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:07
-	0	((connection or device) adj counter) and (stor\$4 or memory of buffer\$3 or sav\$3).ab. and @ad<19991228 and bridge and ((ieee adj "1394") or firewire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 13:45
-	1	((connection or device) adj counter) same (stor\$4 or memory of buffer\$3 or sav\$3)) and @ad<19991228 and bridge and ((ieee adj "1394") or firewire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 13:46
-	13	(bridge same (ieee adj "1394") same bus same portal) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:07
-	0	(bridge same (ieee adj "1394") same bus same portal) and @ad<19991228 and (packet\$5 with filter\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 15:51
-	0	(bridge same (ieee adj "1394") same bus same portal) and @ad<19991228 and (packet\$5 with switch4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 15:51
-	4	(bridge same (ieee adj "1394") same bus same portal) and @ad<19991228 and (packet\$5 with switch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:07
-	0	((maintain\$5 or keep\$3) with connection) same (bus near2 reset) same network same (bridge or portal)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:46
-	1	((maintain\$5 or keep\$3) with connection) same (bus near2 reset) same network same (bridge or portal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:47
-	2	((maintain\$5 or keep\$3) with connection) same (reset) same network same (bridge or portal)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:48
-	0	((connection) same (bus near3 reset) same network same (bridge or portal)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:48

		1 ((connection) same (bus with reset) same network same (bridge or portal)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/17 16:50
		1 ((path) same (bus with reset) same network same (bridge or portal)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/17 16:49
		3 (ieee same "1394" same reset same (connection or path) same (re-establish\$5 or maintain\$5 or reestablish\$5 or keep\$5 or re-secur\$5 or resecur\$5)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/21 13:07
		2 (ieee same "1394" same reset same bus same (connection or path) same (re-establish\$5 or maintain\$5 or reestablish\$5 or keep\$5 or re-secur\$5 or resecur\$5)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/17 16:55
		2 (ieee same "1394" same reset same bus same (connection or path) same (re-establish\$5 or maintain\$5 or reestablish\$5 or keep\$5 or re-secur\$5 or resecur\$5 or remain\$5)) and @ad<19991228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/17 16:55
		3 (((maintain\$5 or keep\$3) with connection) same (reset) same network same (bridge or portal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/17 18:36